



CANADA



ON THE JOB
SINCE 1865™

Product Guide



Table of Contents

DAP® Paint Projects	3-8
Interior/Exterior Sealants	3
Accessories	8
DAP® Kitchen & Bath	9-11
Kitchen/Bath Advanced Sealants & Silicones.....	9
Specialty Projects	12-18
Specialty Sealants.....	12
Specialty HVAC High Temp Silicone.....	16
Specialty Sealants Fire System Sealants.....	17
Specialty Advanced Sealants & Silicones.....	18
Window, Door & Siding	19-23
Window/Door Advanced Sealants & Silicones	19
Repair	24-36
Spackling Compounds	24
Joint Compounds	26
Plaster & Stuccos.....	29
Wood Repair Products	31
Glazing Compounds	33
Concrete & Masonry Products	34
Construction Adhesive	37-39
Construction & Remodelling	37
Adhesive	40
All Purpose Adhesive.....	40
Insulating Foam Sealant	41-49
Straw Foams	41
Gun Foams	45
2 Component Kits	46
Accessories	48



DAP® ALEX PLUS® All Purpose Acrylic Latex Caulk Plus Silicone

Excellent quality, all purpose acrylic latex caulk for sealing a wide variety of interior and exterior surfaces. It contains silicone additives for greater flexibility and adhesion and shrinks less for a durable, 100% waterproof seal. Paintable in just 30 minutes and won't shine through or discolour paint for better paint finish results. Easy to apply and tool, low odour and cleans up with water. Cured caulk is mould and mildew resistant. Interior/exterior use. 40 Year. Exceeds ASTM C834.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74852	162.00 ML	WHITE	74225	9.69	4.40	15	20 cm x 19 cm x 25 cm	120
74250	300.00 ML	WHITE	74233	14.5	6.58	12	20 cm x 15 cm x 30 cm	108
74270	300.00 ML	WHITE	74233	36.25	16.44	30	30 cm x 25 cm x 30 cm	48
74243	300.00 ML	WHITE	74233	28.94	13.13	6	30 cm x 22 cm x 30 cm	54
74274	330.00 ML	WHITE	74277	16.15	7.33	12	20 cm x 15 cm x 30 cm	108
74252	300.00 ML	TRANSLUCENT	74235	9.76	4.43	12	20 cm x 15 cm x 30 cm	108

DAP® ALEX PLUS® All Purpose Acrylic Latex Caulk Plus Silicone Contractor Pack

Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX PLUS® All Purpose Acrylic Latex Caulk Plus Silicone.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74275	1.00 CS	WHITE	74233	14.5	6.58	1	20 cm x 15 cm x 30 cm	108



DAP® ALEX FAST DRY® All Purpose Acrylic Latex Caulk Plus Silicone

Specifically formulated to meet the demanding needs of Professional Painters and deliver outstanding paint finish results. It can be brush painted 20 minutes after application or spray painted immediately, so the job gets finished faster. This durable, flexible caulk resists cracking, dirt pickup and paint glossing. It applies smoothly and easily, has outstanding adhesion to a wide variety of surfaces and provides a 100% waterproof seal. Low odour and easy water clean-up. Cured caulk is mould and mildew resistant. Interior/exterior use. 50 Year. Exceeds ASTM C834.



SPRAY PAINT IMMEDIATELY

Formulated for Pro Painters

Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74856	162 ML	WHITE	74856	9.82	4.45	15	20 cm x 19 cm x 25 cm	120
78425	300 ML	WHITE	78425	14.75	6.69	12	20 cm x 15 cm x 30 cm	108

DAP® ALEX FAST DRY® All Purpose Acrylic Latex Caulk Plus Silicone Contractor Pack

Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX FAST DRY® Acrylic Latex Caulk Plus Silicone.



SPRAY PAINT IMMEDIATELY

Formulated for Pro Painters



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74851	1.00 CS	WHITE	78425	14.75	6.69	1	20 cm x 15 cm x 30 cm	108

DAP® ALEX FLEX® Premium Moulding & Trim Acrylic Latex Sealant



Specifically formulated for use on moulding and trim applications. A premium performance sealant that delivers maximum adhesion and flexibility for a crack proof seal. Paint ready in 30 minutes to finish the job faster. It provides a long lasting, durable seal that will not shine through or discolour paint. Ideal for achieving a professional look with paint projects when sealing around windows, doors, trim, crown moulding, chair rails and baseboards. Excellent adhesion to wood, PVC and composite moulding. It is easy to apply and tool, low in odour and cleans up with water. Cured sealant is mould and mildew resistant. Interior/ exterior use. 60 Year. Meets ASTM C920, Class 12.5.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
78542	300.00 ML	WHITE	78542	13.64	6.19	12	20 cm x 15 cm x 30 cm	108
78544	300.00 ML	WHITE	78544	13.64	6.19	6	20 cm x 15 cm x 30 cm	108

DAP® ALEX® Painter's Acrylic Latex Caulk

All purpose acrylic latex painter's caulk that applies smoothly and easily to a wide variety of surfaces. Paintable, low odour and easy water clean-up. Cured caulk is mould and mildew resistant. Interior/exterior use. 25 Year. Meets ASTM C834.




Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
73630	300.00 ML	WHITE	73635	14.40	6.53	12	20 cm x 15 cm x 30 cm	108



DAP® ALEX® Painter's Acrylic Latex Caulk Contractor Pack

Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX® Painter's Acrylic Latex Caulk.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
73631	300.00 ML	WHITE	73635	14.53	6.59	1	20 cm x 15 cm x 30 cm	108

DAP® ALEX® ULTRA Premium Latex Sealant

DAP® ALEX® ULTRA Premium Latex Sealant is a high performing acrylic latex sealant that offers exceptional performance for the Pro Painter. With Anti-Shrink technology, it is designed to shrink less, creating a more durable long-lasting seal that won't crack after painted. It can be brush painted in just 15 minutes after application or spray painted immediately for improved productivity. This low shrink, durable, flexible sealant applies smoothly & easily, is low in odour, and doesn't pick up dirt. It has superior adhesion to a wide variety of surfaces, provides a 100% waterproof seal and cured caulk is mould and mildew resistant. Backed by a Lifetime Guarantee. Exceeds ASTM Specification C834. Interior/exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
78200	300.00 ML	WHITE	78200	9.82	4.45	12	20 cm x 15 cm x 30 cm	108

DAP® EXTREME STRETCH Premium Crackproof Elastomeric Sealant



DAP® EXTREME STRETCH Premium Crackproof Elastomeric Sealant provides urethane acrylic technology for extreme flexibility and strength with long lasting durability. It has over 600% total stretch without cracking or losing adhesion. It is paint ready in just 2 hours and won't shine through, dull, discolour or crack paint. With its strong, multi-material adhesion, it is ideal for a wide variety of applications such as sealing around windows, doors, siding, trim, baseboards, crown moulding and more. Easy and smooth application with water clean up and low odour. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74865	300.00 ML	WHITE	74865	11.9	5.40	12	20 cm x 15 cm x 30 cm	108



DAP® PRO Caulk™ 8-piece Caulking Tool Kit

The easy, no-mess way to a perfect, professional seal in seconds. Creates a perfect looking seal every time – any edge, any corner, any joint – while reducing the amount of wasted caulk, sealant or compound.

The Tool Kit includes:

- (3) Sealing Tools
- Caulk Removal Tool
- (3) Rubberized Caulk Saver Caps
- Extended Reach Nozzle

The tools can be used indoors or out, on just about every caulking and sealing project.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74875	1.00 EA	BLUE	74875	1.2	0.54	4	14 cm x 12 cm x 28 cm	224



DAP® KWIK SEAL ULTRA® Premium Siliconized Kitchen & Bath Sealant

High performance, advanced siliconized kitchen and bath sealant that repels water, soap scum, stains and dirt and offers a lifetime mould and mildew resistance guarantee so the sealant stays looking clean, fresh and new. It is 100% waterproof and crack proof and can be exposed to water in as little as 4 hours after application without washing out. It offers long-lasting durability and excellent adhesion to a wide range of materials. Safe for granite and marble. Easy-to-use formula applies easily and smoothly, is low in odour and cleans up with water.



**MILDEW CAN'T GROW
STAINS WON'T STICK
DIRT RINSES OFF**



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74820	300 ML	WHITE	74820	9.85	4.47	12	20 cm x 15 cm x 30 cm	108
74821	300 ML	CLEAR	74821	9.78	4.44	12	20 cm x 15 cm x 30 cm	108
74822	162 ML	BISCUIT	74822	6.39	2.90	15	20 cm x 19 cm x 25 cm	120
74823	162 ML	WHITE	74823	6.4	2.90	15	20 cm x 19 cm x 25 cm	120
74824	162 ML	CLEAR	74824	6.35	2.88	15	20 cm x 19 cm x 25 cm	120

DAP® KWIK SEAL® Kitchen & Bath Adhesive Caulk

Bonds like a glue and seals like a caulk. Provides a durable, 100% waterproof seal. Cured caulk is mould and mildew resistant. Applies easily and tools smoothly. Excellent adhesion. Paintable. Low odour and easy water clean-up.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
71018	300.00 ML	WHITE	71020	14.75	6.69	12	20 cm x 15 cm x 30 cm	108
74853	162.00 ML	WHITE	71023	9.74	4.42	15	20 cm x 19 cm x 25 cm	120
74855	162.00 ML	CLEAR	71055	6.34	2.88	15	20 cm x 19 cm x 25 cm	120



DAP® AMP™ Advanced Modified Polymer Waterproof Kitchen, Bath and Plumbing Sealant

DAP® AMP™ Advanced Modified Polymer Waterproof Kitchen, Bath and Plumbing Sealant leverage the power of multiple technologies creating the ultimate hybrid sealant. Its exceptional paintability, fast water ready times, crystal clear clarity, low dirt pick-up and prevention of mould and mildew growth provides maximum performance for every project. It provides a 100% waterproof seal with the ability to be applied on wet and damp surfaces. It has a fast 30-minute paint and water ready time and is specifically formulated to prevent mould and mildew growth. Lifetime guarantee. For interior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74342	266.00 ML	WHITE	74342	12.8	5.81	12	20 cm x 15 cm x 30 cm	108
74343	266.00 ML	CRYSTAL CL	74343	9.9	4.49	12	20 cm x 15 cm x 30 cm	108

DAP® SILICONE ULTRA® Premium Kitchen & Bath 100% Silicone Sealant

DAP® SILICONE ULTRA® Premium Kitchen & Bath 100% Silicone provides maximum silicone performance to seal out water and moisture in kitchen and bathroom applications. It is backed by a 20 year mould and mildew resistance guarantee and offers maximum flexibility and adhesion for a crack proof, 100% waterproof seal. Water ready in just 30 minutes to save time. VOC compliant. Lifetime Guarantee. NSF certified - making it safe for incidental food contact.



Case Code	Size	Colour	Product Code	Case Weight	Case Weight (lb)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
73389	300 ML	WHITE	73389	9.22	4.18	12	20 cm x 15 cm x 30 cm	108
73390	300 ML	CLEAR	73390	9.22	4.18	12	20 cm x 15 cm x 30 cm	108
73393	300 ML	TRANSLUCENT WHITE	73393	9.22	4.18	12	20 cm x 15 cm x 30 cm	108



DAP® SILICONE PLUS™ Premium Kitchen & Bath 100% Silicone Rubber Sealant

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof seal. Cured sealant is mould and mildew resistant. Shrink and crack proof. It can be exposed to water after only 30 minutes without washing out. Low in odour. Lifetime Guarantee.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
73374	319.00 ML	CLEAR	73374	10.2	4.63	12	20 cm x 15 cm x 30 cm	108
73376	319.00 ML	WHITE	73376	12.6	5.72	12	20 cm x 15 cm x 30 cm	108
73380	319.00 ML	ALMOND	73380	12.6	5.72	12	20 cm x 15 cm x 30 cm	108
73382	83.00	WHITE	73382	3.9	1.77	12	24 cm x 14 cm x 22 cm	200
73383	83.00	CLEAR	73383	3.9	1.77	12	24 cm x 14 cm x 22 cm	200

DAP® Kitchen & Bath 100% Silicone Rubber Sealant

100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, 100% waterproof seal. Cured sealant is mould and mildew resistant. Lifetime Guarantee.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
73444	290.00 ML	CLEAR	73444	9.17	4.16	12	20 cm x 15 cm x 30 cm	108
73446	290.00 ML	WHITE	73446	9.17	4.16	12	20 cm x 15 cm x 30 cm	108
73448	290.00 ML	ALMOND	73448	9.17	4.16	12	20 cm x 15 cm x 30 cm	108
73450	290.00 ML	GRAY	73450	9.38	4.25	12	20 cm x 15 cm x 30 cm	108

DAP® ULTRA CLEAR Flexible All Purpose Waterproof Sealant



High performance ultra elastic, ultra clear sealant ideal for sealing a wide variety of surfaces and projects. ULTRA CLEAR is crystal clear, allowing surface beauty to shine through and providing a seamless finish. It is clearer than silicone and doesn't yellow, crack, crumble, chalk or break down over time, providing a 100% waterproof and weatherproof seal. It adheres to wet or damp surfaces, is water/rain ready immediately and has strong multi-surface adhesion. ULTRA CLEAR stays flexible and crackproof even in cold weather, for a long-lasting durable seal. Paintable. Interior/ exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74329	147 ML	CRYSTAL CL	74329	5.43	2.46	15	20 cm x 19 cm x 25 cm	120
74330	300 ML	CRYSTAL CL	74330	8.72	3.95	12	20 cm x 15 cm x 30 cm	105

DAP® Silicone Ultra Aquarium Safe & All-Purpose Premium Waterproof Sealant

100% silicone rubber sealant ideal for quick household repairs and projects. It forms a strong, 100% waterproof seal that won't crack or shrink. It is safe for incidental food contact, as well as being dishwasher and microwave safe. It is also ideal for building or repairing small aquariums and is harmless to fresh and saltwater fish when cured.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74325	83 ML	CLEAR	74325	2.44	1.11	12	19 cm x 14 cm x 20 cm	200



DAP® Premium Polyurethane Construction Adhesive Sealant

High performance, advanced siliconized kitchen and bath sealant that repels water, soap scum, stains and dirt and offers a lifetime mould and mildew resistance guarantee so the sealant stays looking clean, fresh and new. It is 100% waterproof and crack proof and can be exposed to water in as little as 4 hours after application without washing out. It offers long-lasting durability and excellent adhesion to a wide range of materials. Safe for granite and marble. Easy-to-use formula applies easily and smoothly, is low in odour and cleans up with water.

**PRO
GRADE**



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74810	300.00 ML	WHITE	74810	16	7.26	12	20 cm x 15 cm x 30 cm	108
74814	300.00 ML	BLACK	74814	16	7.26	12	20 cm x 15 cm x 30 cm	108
74816	300.00 ML	GRAY	74816	16	7.26	12	20 cm x 15 cm x 30 cm	108

DAP® Concrete & Masonry Filler & Sealant

High performance, latex-based sealant formulated to repair cracks and holes in concrete, mortar and masonry. Contains silicone additives for improved adhesion and water resistance. Forms a durable, flexible and waterproof seal. Resists gas, oil, grease and salt. Paintable. Easy water clean-up. Interior/exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
70618	300.00 ML	GRAY	70615	14.87	6.74	12	20 cm x 15 cm x 30 cm	108



DAP® Roof Asphalt Filler & Sealer

High performance, asphalt-based sealant for sealing roof gaps and joints, spotting shingles and repairing minor roof leaks. Forms a durable, flexible, weather resistant and waterproof seal. Can be used for both wet and dry applications. Will not run, sag or bubble. Exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
70580	300.00 ML	BLACK	70577	14.51	6.58	12	20 cm x 15 cm x 30 cm	105

DAP® Gutter & Flashing BUTYL-FLEX® Sealant

Butyl rubber formula provides a durable, flexible and waterproof seal for gutters, drainspouts, lap joints, flashings, roof vents, aluminium siding and other metal joints. Stands up to weather and temperature extremes. Adheres to wet or dry surfaces. Exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
73754	300.00 ML	WHITE	73751	13.5	6.12	12	20 cm x 15 cm x 30 cm	108



DAP® Blacktop Asphalt Filler & Sealer

High performance, asphalt-based compound for filling and sealing cracks in driveways, parking lots and other asphalt surfaces. Forms a durable, flexible and waterproof seal. Resists gas, oil, grease and salt. Exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
70998	300.00 ML	BLACK	70995	14.51	6.58	12	20 cm x 15 cm x 30 cm	105

DAP® DRAFT ATTACK® The Original Solvent Formula All Season Removable Weather Stripping Sealant

Removable Weatherstrip Sealant is formulated for use as a seasonal weatherstripping product. It provides a watertight, weatherproof and fast drying seal against air and moisture, keeping homes warmer in winter, cooler in summer, while also reducing energy bills. Use it to seal drafty windows, seasonally used doors, around air conditioners, vents or fans. Then easily peel it away when no longer needed. Interior/Exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
78351	300.00 ML	CLEAR	70525	13.3	6.03	12	20 cm x 15 cm x 30 cm	108



DAP® HVAC Professional 100% RTV Silicone

A high-performance sealant designed especially for HVAC applications. It provides a long-lasting weather resistant seal with supreme adhesion, flexibility, and durability. It adheres to most common building materials and remains flexible from -40°C to 246°C. Meets Fed. Spec. TTS001543A, ASTM C920, FDA Reg. No. 21 CFR 177.2600, and NSF/ANSI Standard 51. Safe for incidental food contact and is for interior/exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74326	300 ML	ALUMINUM	74326	9.17	4.16	12	20 cm x 15 cm x 30 cm	108
74327	300 ML	CLEAR	74327	9.17	4.16	12	20 cm x 15 cm x 30 cm	108
74328	300 ML	WHITE	74328	9.17	4.16	12	20 cm x 15 cm x 30 cm	108

DAP® High Temp 100% RTV Silicone Sealant

DAP® High Temp Silicone is a high-performance sealant designed especially for extreme high temperature applications. It provides a long-lasting, weather-resistant seal with supreme adhesion, flexibility, and durability. It adheres to most common building materials and remains flexible from 4.4°C to 288°F (intermittent). Meets Fed. Spec. TT-S-00230C, TT-S-001543A, ASTM C920, FDA Reg. No. 21 CFR 177, 2600. Safe for incidental food contact. Seals All Extreme Temperature Applications Remains Flexible up to 288°F (INTERMITTENT) Will Not Crack or Shrink Weather Resistant Exterior/Interior



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74331	300.00 ML	RED	74331	9.17	4.16	12	20 cm x 15 cm x 30 cm	108



DAP® BLOCKADE® Fire-Rated High Performance Intumescent Acrylic Latex Sealant

Meets ASTM E814/UL 1479 and CAN/ULC-S115M specifications. Intumescent product expansion fills voids created by combustible materials burned during a fire. Treats general firestopping applications for combustible and non-combustible penetrations. Excellent adhesion to unprimed surfaces. Red colour for easy inspection.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74058	300 ML	RED	74058	12.25	5.56	12	20 cm x 15 cm x 30 cm	132

DAP® Fire Stop Fire-Rated Silicone Sealant

Meets ASTM E814/UL 1479 and UL 2079 Specifications. Classified for sealing fire-rated non-combustible service penetrations and construction joints in horizontal and vertical fire separations. Elastomeric—capable of ±25% dynamic joint movement.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
71064	300.00 ML	LT GRAY	71064	13	5.90	12	21 cm x 16 cm x 30 cm	132



DAP® AMP™ Advanced Modified Polymer Self-Leveling Concrete and Masonry Sealant

DAP® AMP™ Advanced Modified Polymer Self-Leveling Concrete and Masonry Sealant provides a 100% weatherproof and waterproof seal with the ability to be applied on wet and damp surfaces. It has a fast 1-hour paint and rain ready time and meets ASTM C920, Class 25. For use on horizontal surfaces only. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74344	266.00 ML	GRAY	74344	13.12	5.95	12	20 cm x 15 cm x 30 cm	108

DAP® SILICONE PLUS™ Premium Concrete & Masonry 100% Silicone Rubber Sealant

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof seal. Shrink and crack proof. It can be exposed to water after only 30 minutes without washing out. Withstands foot and vehicle traffic after fully cured. Cured sealant is mould and mildew resistant. Low in odour. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
73366	319.00 ML	GREY	73366	12.6	5.72	12	20 cm x 15 cm x 30 cm	108



DAP® AMP™ Advanced Modified Polymer All Weather Window, Door and Siding Sealant

DAP® AMP™ Advanced Modified Polymer All Weather Window, Door and Siding Sealant provides a 100% weatherproof and waterproof seal with the ability to be applied on wet and damp surfaces. It has a fast 30 minute paint and rain ready time. Low in odour and VOC compliant. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 35.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74340	266.00 ML	WHITE	74340	12.15	5.51	12	20 cm x 15 cm x 30 cm	108
74341	266.00 ML	CRYSTL CLR	74341	9.9	4.49	12	20 cm x 15 cm x 30 cm	108



DAP® DYNAFLEX ULTRA™ Advanced Exterior Window, Door & Siding Sealant

Advanced Sealant for Window, Door, Siding & Trim applications is formulated with innovative WeatherMax™ Technology to resist UV fading, yellowing, chalking, crumbling, cracking and dirt build up. It also has a lifetime mould, mildew and algae resistance warranty, so the sealant stays looking clean and new. DYNAFLEX ULTRA™ has strong adhesion to common building materials and stays flexible for a long-lasting, weatherproof seal that provides All Weather Protection and stands up to the elements. It is rain ready and paintable in only one hour for better productivity. Meets ASTM C920, Type S, NS, Class 25.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74160	162.00 ML	WHITE	74160	8.08	3.67	15	25 cm x 13 cm x 25 cm	93
74150	300.00 ML	WHITE	74150	13.1	5.94	12	20 cm x 15 cm x 30 cm	108
74151	300.00 ML	CLEAR	74151	13.5	6.12	12	20 cm x 15 cm x 30 cm	108
74152	300.00 ML	BEIGE	74152	13.5	6.12	6	20 cm x 15 cm x 30 cm	108
74156	300.00 ML	BROWN	74156	13.5	6.12	12	20 cm x 15 cm x 30 cm	108
74157	300.00 ML	LT GREY	74157	13.5	6.12	12	20 cm x 15 cm x 30 cm	108
74158	300.00 ML	BLACK	74158	13.5	6.12	12	20 cm x 15 cm x 30 cm	108
74159	300.00 ML	CEDAR TAN	74159	10.01	4.54	12	20 cm x 15 cm x 30 cm	108



DAP® SILICONE ULTRA™ Premium All Purpose 100% Silicone

DAP® SILICONE ULTRA™ Premium All Purpose 100% Silicone provides maximum silicone performance to seal out air and water in window, door and siding applications. It has +/-50% joint movement for maximum flexibility and adhesion so it withstands contraction and expansion caused by extreme temperature and weather fluctuations without cracking or losing adhesion. Water ready in 30 minutes for a 100% waterproof and weatherproof seal. Shrink and crack proof. Cured sealant is mould & mildew resistant. Low in odour and VOC compliant. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 50.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
73391	300 ML	WHITE	73391	9.94	4.51	12	20 cm x 15 cm x 30 cm	108
73392	300 ML	CLEAR	73392	9.74	4.42	12	20 cm x 15 cm x 30 cm	108

DAP® SILICONE PLUS™ Premium Window, Door & Siding 100% Silicone Rubber Sealant

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof and weatherproof seal. Shrink and crack proof. It can be exposed to water after only 30 minutes without washing out. Cured sealant is mould and mildew resistant. Low in odour. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
73252	319.00 ML	CLEAR	73252	12.6	5.72	6	20 cm x 15 cm x 30 cm	108
73350	319.00 ML	WHITE	73350	13	5.90	12	20 cm x 15 cm x 30 cm	108
73352	319.00 ML	CLEAR	73352	12.6	5.72	12	20 cm x 15 cm x 30 cm	108
73354	319.00 ML	BROWN	73354	13	5.90	12	20 cm x 15 cm x 30 cm	108
73356	319.00 ML	BLACK	73356	13	5.90	12	20 cm x 15 cm x 30 cm	108
73358	83.00	CLEAR	73358	3.9	1.77	12	24 cm x 14 cm x 22 cm	200
73384	319.00	ALMOND	73384	13	5.90	12	20 cm x 15 cm x 30 cm	108
73385	319.00	GREY	73385	13	5.90	12	20 cm x 15 cm x 30 cm	108



DAP® Window, Door & Siding 100% Silicone Rubber Sealant

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof and weatherproof seal. Shrink and crack proof. It can be exposed to water after only 30 minutes without washing out. Cured sealant is mould and mildew resistant. Low in odour. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
73461	290.00 ML	WHITE	73461	9.15	4.15	12	20 cm x 15 cm x 30 cm	108
73473	290.00 ML	CLEAR	73473	9.15	4.15	12	20 cm x 15 cm x 30 cm	108
73485	290.00 ML	ALUMINUM	73485	9.15	4.15	12	20 cm x 15 cm x 30 cm	108
73497	290.00 ML	BROWN	73497	9.38	4.25	12	20 cm x 15 cm x 30 cm	108



DAP® DYNAFLEX 230® Premium 100% Waterproof Indoor/Outdoor Elastomeric Sealant

Premium elastomeric “Silicone Tough” latex formulation delivers outstanding performance against the elements. Provides superior flexibility and elongation to seal joints up to 2” wide and endure expansion and contraction without cracking or losing its seal. 100% waterproof and weather proof. Won’t crack, crumble or chalk. It has excellent adhesion to a wide range of building materials including wood, MDF, fibre cement, vinyl, aluminium, PVC polystyrene and composite trimboard. Paintable, easy gunning, smooth tooling and water clean-up. Cured sealant is mould and mildew resistant. Meets ASTM C920, Class 25.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74110	162.00 ML	WHITE	74110	8.6	3.90	15	20 cm x 19 cm x 25 cm	120
74111	162.00 ML	CLEAR	74111	6.27	2.84	15	20 cm x 19 cm x 25 cm	120
74084	300.00 ML	WHITE	74082	13.1	5.94	12	20 cm x 15 cm x 30 cm	108
74086	300.00 ML	ALMOND	74086	13.5	6.12	12	20 cm x 15 cm x 30 cm	108
74088	300.00 ML	WHITE	74082	13.5	6.12	6	20 cm x 15 cm x 30 cm	108
74096	300.00 ML	BROWN	74094	13.5	6.12	12	20 cm x 15 cm x 30 cm	108
74102	300.00 ML	BLACK	74102	13.5	6.12	12	20 cm x 15 cm x 30 cm	108
74108	300.00 ML	GRAY	74106	13.5	6.12	12	20 cm x 15 cm x 30 cm	108
74120	300.00 ML	CLEAR	74118	10.01	4.54	12	20 cm x 15 cm x 30 cm	108
74849	300.00 ML	CEDAR TAN	74849	13.5	6.12	12	20 cm x 15 cm x 30 cm	108



DAP® PLATINUM PATCH™ Advanced Exterior Filler (RTU)

Provides exceptional weatherproof protection that prevents discolouration, cracking and crumbling. The tough hydrophobic surface provides a waterproof repair that won't swell, soften, blister or break down and is mould, mildew and algae resistant making it perfect for areas with continuous exposure to the elements. It has strong multi-material adhesion to tough porous and non-porous materials making it ideal for exterior applications such as the installation, finishing or repairing of fibre cement siding, PVC trim board, vinyl siding, metal, composite concrete, brick, wood and more. It creates a strong durable bond that won't crack or lose adhesion over time and is also sandable, paintable, easy water clean-up and low in odour. Interior/exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74887	207.00 ML	WHITE	74887	4.47	2.01	6	17 cm x 16 cm x 24 cm	168
74888	946.00 ML	WHITE	74888	26.28	11.83	8	26 cm x 26 cm x 26 cm	64

DAP® FAST DRY PREMIUM SPACKLING

Premium, professional-grade spackling compound uniquely formulated to provide strength and durability like a traditional heavyweight spackling but can also be painted in as little as 15 minutes. Its ready-to-use, smooth formula spreads easily and won't sink, shrink or crack, filling even the largest of drywall repairs in one coat. DAP® Fast Dry Premium Spackling is 3X stronger with superior impact resistance over traditional heavyweight spackling compounds, lasts 2X longer and won't dry out like competitive spackling compounds. Interior/Exterior.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74890	473.00 ML	OFF WHITE	74890	11.19	5.04	6	38 cm x 25 cm x 13 cm	96



DAP® ALEX FLEX® Flexible Spackling (RTU)

Provides a solution to eliminate reoccurring cracks in drywall. Its ready-to-use formula spreads easily for fast, flexible repairs that can be sanded to a smooth finish. This professional-grade formula will not shrink or crack and is perfect for interior or exterior applications.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74870	473.00 ML	WHITE	74870	21.97	9.97	12	30 cm x 21 cm x 21 cm	85
74871	946.00 ML	WHITE	74871	28.15	12.77	8	30 cm x 21 cm x 21 cm	64

DAP® ALEX PLUS® Spackling (RTU)

Provides unsurpassed performance for filling holes & cracks in surfaces such as drywall, plaster, wood, brick, metal and stone. Its ready-to-use, smooth white formula spreads easily for fast professional repairs that will not crack, crumble or flake. This professional-grade formula will not sink or shrink, provides superior paintability and exceptional durability. Perfect for interior and exterior applications.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74866	207.00 ML	WHITE	74866	5.68	2.58	6	17 cm x 16 cm x 24 cm	168
74868	946.00 ML	WHITE	74868	28.91	13.11	8	30 cm x 21 cm x 21 cm	64



DAP® DRYDEX® Dry Time Indicator Spackling (RTU)

Provides unsurpassed performance for filling holes & cracks in surfaces such as drywall, plaster, wood, brick, metal and stone. Its ready-to-use, smooth white formula spreads easily for fast professional repairs that will not crack, crumble or flake. This professional-grade formula will not sink or shrink, provides superior paintability and exceptional durability. Perfect for interior and exterior applications.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
72337	162.00 ML	PINK	72337	8.75	3.97	12	27 cm x 11 cm x 27 cm	99
71162	237.00 ML	PINK	71160	6.56	2.98	6	26 cm x 17 cm x 10 cm	242
71164	946.00 ML	PINK	71164	24.93	11.31	6	38 cm x 25 cm x 13 cm	96
72347	3.78 L	PINK	72347	32.86	14.91	2	41 cm x 20 cm x 21 cm	75

DAP® Wall Repair Patch Kit Featuring DRYDEX® Spackling

A complete project solution. Repairs holes up to 4" in diameter in drywall, plaster and masonry surfaces. Includes all the necessary tools:

- DRYDEX® Spackling - Goes on pink, dries white
- 5" x 5" Fibre Tough Patch
- 4" x 3" 100-grit sand paper
- Putty knife



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
72345	1.00 EA	WHITE/ KIT	72345	6.75	3.06	6	54 cm x 18 cm x 21 cm	60

DAP® FAST 'N FINAL® Lightweight Spackling (RTU)



A lightweight spackling lets you patch and prime in one easy step, saving time and money. It dries fast with no need to sand or prime, letting you paint in minutes for a virtually invisible repair. Ideal for repairing holes, cracks and dents in drywall, plaster, wood and stucco. Interior/exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
71354	946.00 ML	WHITE	71354	8.3	3.76	6	38 cm x 25 cm x 13 cm	96
23050	473.00 ML	WHITE	23050	5	2.27	6	29 cm x 20 cm x 12 cm	180
23030	237.00 ML	WHITE	23030	3	1.36	6	26 cm x 17 cm x 10 cm	242
74877	88.7 ML	WHITE	74877	0.95	0.431	6	15 cm x 13 cm x 21 cm	300

DAP® Eclipse™ Rapid Wall Repair Patch

DAP's fastest, strongest & thinnest drywall repair solution.

- Paint immediately & finish in minutes
- All in one, mess free
- 2-4x stronger than drywall itself
- Permanent, long lasting



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
N/A	2 IN	WHITE	N/A	0.79	0.36	12	20cm x 19cm x 20cm	300
N/A	4 IN	WHITE	N/A	0.89	0.4	12	20cm x 19cm x 20cm	300
N/A	6 IN	WHITE	N/A	1.02	0.46	12	20cm x 19cm x 20cm	300



DAP® Lightweight Wallboard Joint Compound (RTU)

Finishes gypsum panel joints with less work, easy sanding and lightweight handling. Saves time on the job. Interior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
30070	5.50 KG	GRAY	30070	25.62	11.53	2	41cm x 21cm x 21cm	75
30120	1.50 KG	GRAY	30120	21.3	9.59	6	41cm x 26cm x 16cm	96

DAP® DRYDEX® Lightweight Low Dust Joint Compound (RTU)

Premium, pre-mixed joint compound for the ultra-smooth, high quality finishing of gypsum panel joints, nail head and metal corner beads. Sands effortlessly and produces 70% less airborne dust than other low dust joint compounds for less mess and fast clean-up. Easy handling, lightweight formula goes on PINK and dries WHITE indicating when additional coats can be applied or when it's ready for finishing. De-aired formula eliminates the formation of pinhole bubbles for an ultra-smooth finish. Interior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
70120	3.78 L	WHITE	70120	21.58	9.79	2	41 cm x 20 cm x 21 cm	75



DAP® All-Purpose Stucco Patch (RTU)

An easy-to-use patching compound for repairing minor cracks and breaks in stucco. It creates a hard durable patch which when painted, blends evenly with the original stucco. Textured finish. Interior/exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
60584	946.00 ML	WHITE	60584	25.2	11.34	6	39cm x 26cm x 14cm	96

DAP® PRESTO PATCH® Multi-Purpose Patching Compound (Dry Mix)

All-purpose, high-performance patching compound formulated to set fast and dry hard. Set time is 5-10 minutes and is ready to paint in 30 minutes. Great for all interior wall, ceiling and floor projects. Interior use.




Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
80300	10.00 KG	WHITE	80300	22.24	10.01	1	41cm x 23cm x 8cm	96



DAP® Plaster of Paris (Dry Mix)

For general wall and ceiling repair. Sets hard in 20-30 minutes without shrinking. Has a working time of 6 to 10 minutes. It can be painted with any oil or latex-based paint when dry. Conforms to ASTM 4236. Smooth formula provides great results every time. Interior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
60110	2.00 KG	WHITE	60110	27.6	12.42	6	32cm x 22cm x 22cm	90
60120	10.00 KG	WHITE	60120	22.24	10.01	1	41cm x 23cm x 8cm	96

DAP® Patching Plaster (RTU)

Economical plaster patching product for everyday household repairs to plaster and drywall. Dries hard with minimal shrinkage. Interior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
52086	946.00 ML	WHITE	52086	23.7	10.67	6	39cm x 26cm x 14cm	96

DAP® WOOD PRO-X™ All Purpose Wood Filler with DryDex® Dry Time Indicator



High quality latex-based wood filler that goes on pink and dries natural letting you know when it's time to sand and stain. Formulated to create a surface that looks and acts like real wood. It can be used to repair cracks, gouges, holes and other surface defects on furniture, moulding, cabinets, plywood, and other wood surfaces. This easy-to-use filler can be troweled and moulded for structural repairs and dries fast and hard to a smooth finish that can be sanded, cut, planed, drilled, nailed, or screwed. It provides strong nail and screw anchoring. Cleans up easily with soap and water when wet. For interior/exterior use.



GOES ON PINK DRIES

NATURAL

Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74285	156.00 GRAMS	NATURAL	74285	4.59	2.08	8	17 cm x 15 cm x 15 cm	312
74287	453.00 GRAMS	NATURAL	74287	8.75	3.97	12	37 cm x 36 cm x 26 cm	140

DAP® WOOD PRO® Latex All Purpose Wood Filler (RTU)

High quality latex-based wood filler formulated to create a surface and body that looks and acts like real wood and provides a repair that is 3X stronger than competitive product. It can be used to repair cracks, gouges, holes and other surface defects on furniture, moulding, cabinets, plywood, and other wood surfaces. This easy-to-use filler can be troweled and moulded for structural repairs and dries fast and hard to a smooth finish that can be sanded, cut, planed, drilled, nailed, or screwed. It provides strong nail and screw anchoring. Cleans up easily with soap and water when wet. Interior/exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74283	453.00 GRAMS	NATURAL	74283	8.75	3.97	12	37 cm x 36 cm x 26 cm	140
74284	907.00 GRAMS	NATURAL	74284	8.51	3.86	6	30 cm x 15 cm x 15 cm	126
74288	170.00 GRAMS	NATURAL	74288	3.17	1.44	6	43 cm x 10 cm x 20 cm	156
74289	170.00 GRAMS	WALNUT	74289	3.17	1.44	6	43 cm x 10 cm x 20 cm	156
74290	170.00 GRAMS	RED OAK	74290	3.17	1.44	6	43 cm x 10 cm x 20 cm	156
74291	170.00 GRAMS	GOLDEN OAK	74291	3.17	1.44	6	43 cm x 10 cm x 20 cm	156
74293	170.00 GRAMS	WHITE	74293	3.17	1.44	6	43 cm x 10 cm x 20 cm	156
74294	85.00 GRAMS	NATURAL	74294	1.87	0.85	6	37 cm x 10 cm x 17 cm	180

DAP® PREMIUM WOOD FILLER with Colour Blend Technology



custom 3-in-1 filler & sealer; wood filler, grain filler and sealer coat. A unique water-based wood filler that allows you to more accurately match existing wood tones to create a repair that is seamless and invisible. Premium Wood Filler accepts all types of stains, tints and finishes in the wet state for an exact match or to add a touch of color to your project. Accepts all types of topcoats and finishes once dry ensuring a flawless finish. Premium Wood Filler can be used as a wood putty, edge filler or crack filler or can be thinned out with water and used as a grain filler to fill natural wood pores to achieve a smooth, tabletop finish. Won't sink, shrink, crack or fall out and is tough enough to handle screwing, planing, cutting, drilling, sawing and routing. Easy to use, easy water clean-up and dries fast allowing you to finish your wood repair or project faster. Interior/Exterior.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74889	473.00 ML	WHITE	74889	8.92	4.05	4	20 cm x 20 cm x 12 cm	270



DAP® '33'® Window Glazing (RTU)

Ready-to-use, paintable window glazing for use on wood, metal and aluminum sashes. Forms an airtight, watertight seal. Resists sagging, cracking and shrinking. Excellent weather resistance. Knife-grade. Interior/exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
71151	237.00 ML	WHITE	71151	14.98	6.79	12	34 cm x 25 cm x 10 cm	154
71112	946.00 ML	WHITE	71112	29.1	13.20	6	38 cm x 25 cm x 13 cm	96
71090	3.78 L	WHITE	71090	38.42	17.43	2	41 cm x 20 cm x 21 cm	75

DAP® Latex Window Glazing (RTU)

Smooth, easy-working compound for glazing wood, metal and aluminum sashes. Resists cracking, sagging and chalking. Gun grade. Interior/exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
70980	300.00 ML	WHITE	70976	16	7.26	12	20 cm x 15 cm x 30 cm	108



DAP® Concrete Floor Leveler (Dry Mix)

General purpose, concrete-based floor levelling product for concrete and masonry surfaces. Ideal for patios, sidewalks, garages, and preparing surfaces for vinyl sheet good installation. For use with DAP® Bonding Liquid & Floor Leveler Additive. Interior/exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
80100	10.00 KG	LT GRAY	80100	22.18	9.98	1	41cm x 23cm x 8cm	96

DAP® Bonding Liquid & Floor Leveler Additive

Versatile product that can be used as an additive to increase adhesion and flexibility in plaster, mortar, concrete, floor leveler, stucco and weatherproof cement paint. Interior/exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74040	946.00 ML	WHITE	15200	15	6.75	6	28cm x 20cm x 27cm	84



DAP® Flexible Floor Patch and Leveler (RTU)

Ready-to-use, latex-based product used to fill cracks, fastener or knot holes and level low areas in plywood subfloors or concrete surfaces. The floor patch and leveler will remain flexible, allowing the plywood subfloor to flex without cracking the filled-in areas. Ideal for filling and levelling surfaces prior to the installation of carpeting, vinyl floor tile or sheeting, as well as ceramic or mosaic floor tile. Interior/exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
80251	3.80 L	LT GRAY	80251	28	12.60	2	41cm x 21cm x 21cm	75

DAP® Ready-Mixed Concrete Patch (RTU)

A high-strength patching compound for repairing cracks or breaks in concrete and mortar joints. It can also be used to patch and spot level interior or exterior concrete and masonry surfaces. It dries to a durable hard finish. Provides a non-shrinking patch. Easy water clean-up.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
17100	946.00 ML	LT GRAY	17100	25.05	11.27	6	39cm x 26cm x 14cm	96
17150	3.80 L	LT GRAY	17150	33.02	14.86	2	41cm x 21cm x 21cm	75



DAP® QUICK PLUG® Hydraulic & Anchoring Cement (Dry Mix)

A versatile, high-performance patching compound formulated to stop running water through deep cracks, holes and imperfections in concrete and masonry surfaces. It creates a watertight seal in 3-5 minutes, even while water is flowing. It works both above and below ground level. Also great as fast-setting anchoring cement to permanently anchor fence and railing posts, bolts, machinery and fixtures into concrete and masonry surfaces. Interior/exterior use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
10060	1.25 KG	GREY	10060	17.3	7.79	6	32cm x 19cm x 11cm	180
10070	5.00 KG	GREY	10070	23.6	10.62	2	41cm x 21cm x 21cm	75
10080	10.00 KG	GREY	10080	22.18	9.98	1	41cm x 23cm x 8cm	96



DAP® CONSTRUCTION ADHESIVE Heavy Duty Max

Premium hybrid adhesive that delivers up to 5 times faster bond strength, than competitive polyurethane based heavy duty adhesives, for heavier applications where bond strength and speed are critical. This easy to gun moisture curing adhesive can be applied in a wide range of temperatures for heavier interior or exterior jobs. Offering tenacious adhesion to porous & non-porous building materials where traditional adhesives struggle such as, wet surfaces, PVC, glass, marble, and metal, this is a versatile high-performance adhesive for tackling the toughest jobs.



WET SURFACES



EASY TO GUN



ALL MATERIALS*



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74880	266 mL	WHITE	74880	13.6	6.17	12	20 cm x 20 cm x 12 cm	108

DAP® CONSTRUCTION ADHESIVE 4000 Subfloor

Premium grade construction adhesive specifically formulated for subfloor & deck installation. This easy to gun solvent based adhesive prevents floor squeaks and improves the structural performance of floor assembly when used properly. 4000 Subfloor adhesive delivers a high strength weatherproof bond on wet, frozen & treated lumber.



EASY TO GUN IN COLD TEMP



BONDS WET, FROZEN & TREATED LUMBER



HIGH STRENGTH WEATHERPROOF BOND



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74881	305 mL	TAN	74881	10.59	4.81	12	29 cm x 25 cm x 13 cm	108
74882	828 mL	TAN	74882	27.65	12.55	12	27 cm x 25 cm x 33 cm	60



DAP® CONSTRUCTION ADHESIVE Multi Purpose

Designed to bond common building materials. This easy to apply formula meets ASTM C557 and provides a weather resistant bond once fully cured.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74883	266 mL	WHITE	74883	12.52	5.68	12	20 cm x 22 cm x 42 cm	108

DAP® CONSTRUCTION ADHESIVE Drywall

Specifically formulated for drywall installation. This VOC compliant, instant grab adhesive prevents nail pops and helps limit air and sound movement between walls. CONSTRUCTION ADHESIVE Drywall is an easy to gun adhesive that delivers a strong permanent bond.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74884	828 mL	GREY	74884	32.29	14.66	12	27 cm x 23 cm x 22 cm	60

DAP® CONSTRUCTION ADHESIVE Tub Surround



Premium grade, high strength adhesive specifically formulated for tub surround installation. This premium adhesive is safe for use on all tub surround materials and dries clear for an ideal finish. CONSTRUCTION ADHESIVE Tub Surround is an instant grab adhesive that is moisture, steam, water, and heat resistance once fully cured.



SHOWER SAFE



QUICK GRAB



STRONG
PERMANENT BOND

Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74885	305 mL	GREY	74885	12.3	5.58	12	29 cm x 23 cm x 30 cm	108

DAP® RapidFuse™ Fast Curing All Purpose Adhesive



Fast Curing All Purpose Adhesive: the latest in breakthrough technology. Easy to use. Sets in 30 seconds, cures in 30 minutes. Works on all common household materials, with a professional-strength bond that is 40% stronger than polyurethane glues. Unlike traditional super glues, and the bond won't become brittle while delivering long-lasting durability. The bond is clear- no expanding foam, no dripping glue, no mess. Indoor & outdoor use.



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
74300	24 gram	CLEAR	74300	1	0.45	6	18 cm x 14 cm x 12 cm	108

DAPtex® PLUS Multi-Purpose Latex Insulating Foam Sealant



Latex-based formula that seals out drafts, eliminates energy loss and prevents pest infiltration.

- Seals, insulates, weatherproofs
- Improved durability, flexibility and water resistance
- Safe for all windows & doors
- Easy water clean-up



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
71062	340.00 GR	WHITE	71062	13.14	5.96	12	28 cm x 23 cm x 24 cm	90



DAP® Touch 'n Foam® HomeSeal™ Minimum Expanding Foam Sealant

Fills and seals smaller gaps and openings.
Exclusive All-Seasons cure 30°–120°F (-1°–49°C)

- Water resistant
- Interior/exterior use
- Meets ASTM E84, Class A Fire Rated
- Off-white colour



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
00129	12.00 OZ	CREAM	075650001295	12.87	5.79	12	30cm x 23cm x 24cm	108
00130	12.00 OZ	CREAM	075650001295	6.44	2.90	6	23cm x 16cm x 21cm	216
00137	20.00 OZ	CREAM	075650001370	20.23	9.10	12	30cm x 22cm x 32cm	72
62416	16.00 OZ	CREAM	075650624166	16.45	7.40	12	30cm x 23cm x 28cm	90

DAP® Touch 'n Foam® No Warp® Window & Door Foam Sealant

Low pressure formula won't bow window frames or door jambs.

- Meets AAMA standards and 812-04
- Meets ASTM E84; Class A Fire Rated
- Bright white colour



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565044010	12.00 OZ	WHITE	075650440100	12.87	5.79	12	30cm x 23cm x 24cm	108
7565044011	12.00 OZ	WHITE	075650440100	6.44	2.90	6	23cm x 16cm x 21cm	216
7565064416	16.00 OZ	WHITE	075650644164	16.45	7.40	12	30cm x 23cm x 28cm	90



DAP® Touch 'n Foam® MaxFill™ Triple Expanding Foam Sealant

Three times the expansion rate to fill gaps greater than 1 inch.

- Weather resistant bond seals out drafts
- Blocks insects and other pests
- Meets ASTM E84; Class A Fire Rated
- Interior/exterior use
- UL-Listed
- Off-white colour



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565000126	12.00 OZ	CREAM	075650001271	6.44	2.90	6	23cm x 16cm x 21cm	216
7565000127	12.00 OZ	CREAM	075650001271	12.87	5.79	12	30cm x 23cm x 24cm	108
7565060316	16.00 OZ	CREAM	075650603161	16.45	7.40	12	30cm x 23cm x 28cm	90
7565000128	20.00 OZ	CREAM	075650001288	20.13	9.06	12	30cm x 22cm x 32cm	72

DAP® Touch 'n Foam® Mouse Shield® Foam Sealant & Blocker

Mouse Shield® is specially treated to protect the foam from attack by mice, birds, bats and tree squirrels. It also blocks ants, roaches, spiders and bees.

- Safe to use and contains no lingering odour
- Air seals and insulates to save on energy costs
- Tack-free in 15 minutes and dries in 4 hours
- For interior use only
- Paintable/Sandable



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565012507	12.00 OZ	CREAM	075650125076	6.06	2.73	6	23cm x 16cm x 21cm	216
7565041612	16.00 OZ	CREAM	075650416129	16.45	7.40	12	30cm x 23cm x 28cm	90





DAP® Touch 'n Foam® FireBreak® Flame Resistant Foam Sealant

The only approved fire block to pass the UL 94 V-0 burn test.

- Meets ASTM E814 and UL 1715
- Type V residential fire block
- Flame spread 5, smoke developed 0
- Meets ASTM E84/UL 723; Class A Fire Rated
- Easy-to-identify orange colour



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565040016	16.00 OZ	ORANGE	075650400166	16.45	7.40	12	30cm x 23cm x 28cm	90

DAP® Touch 'n Foam® Landscape Exterior Filler Adhesive

Black, UV-resistant foam that's safe for plant and water life.

- Directs flow in and around water gardens
- Superior adhesive for landscaping projects
- Fills knotholes in trees to seal out pests
- Carbon black colour



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565040016	16.00 OZ	ORANGE	075650400166	16.45	7.40	12	30cm x 23cm x 28cm	90

DAP® Touch 'n Foam® Professional All-Purpose Gun Foam Sealant



Versatile, Type V residential fire block sealant with greater control for large and small gaps.

- Meets ASTM E814, E84, and UL 1715
- Class A Fire-Rated
- Exterior/interior use
- Bright orange foam for inspections



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565028730	24.00 OZ	CREAM	075650287309	23.37	10.52	12	29cm x 22cm x 30cm	72

DAP® Touch 'n Foam® Professional Window & Door Gun Foam Sealant

Bright white, low pressure sealant that exerts virtually no force on window frames and door jambs. Outperforms fibreglass.

- Meets AAMA standards and 812-04
- Meets ASTM E84; Class A Fire-Rated
- Class A Fire-Rated
- Bright white colour



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565029700	20.00 OZ	WHITE	075650297001	20.84	9.38	12	29cm x 22cm x 30cm	72



DAP® Touch 'n Foam® Professional Low GWP 10lb Foam Sealant

10 lb Foam Sealant is a high performance, single component, Class 1 rated fire retardant polyurethane foam. It is moisture cured, won't shrink and helps reduce energy costs.

- Creates a durable, air-tight seal
- Prevents air, water, and pest infiltration
- Superior adhesion to common building materials
- Reduces energy loss and helps save on heating & cooling costs
- Does not trap moisture, dust, and allergens unlike fiberglass insulation



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565000071	10 LB	CREAM	075650000717	16.56	7.51	1	20cm x 20cm x 37cm	90

DAP® Touch 'n Foam® Professional Low GWP Quick Cure 1-Component Sealant

Portable for larger jobs; cylinder comes with 10 ft hose and applicator

- Residential fire block sealant
- ICC-ES ESR-1926 approved
- Class A fire rated
- Creates a durable, air-tight seal
- Prevents air, water, and pest infiltration
- Superior adhesion to common building materials
- Available in reduced Expansion (RX) and High Yield (HY) formulas



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565000060	16lb (HY)	CREAM	075650000601	25.04	11.36	1	25cm x 25cm x 44cm	50
7565000061	16lb (RX)	CREAM	075650000618	25.05	11.36	1	25cm x 25cm x 44cm	50



DAP® Touch 'n Foam® Professional Low GWP System 200 Spray Foam Sealant Kit

Comes with pre-attached hoses, an ergonomic foam applicator, disposable gloves, safety glasses and detailed instructions.

- Yields up to 200 board feet (16.7 cubic feet / 0.47 cubic metre)
- Includes 10' hoses and 10 conical nozzles
- Ideal for medium sized projects, such as sealing basement sill plates/band joists



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565020200	system200	CREAM	075650202005	41.45	18.65	1	39cm x 26cm x 39cm	36

DAP® Touch 'n Foam® Professional Low GWP System 600 Spray Foam Sealant Kit

Comes with pre-attached hoses, an ergonomic foam applicator, disposable gloves, safety glasses and detailed instructions.

- High yield - up to 600 board feet (50 cubic feet)
- Includes 15' hoses and 10 conical nozzles
- Ideal for larger projects such as air sealing stud wall cavity perimeters and crawl spaces



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565060600	system600	CREAM	075650606005	114	51.30	1	32cm x 32cm x 48cm	32



DAP® Sharpshooter™ D Gun Foam Applicator

Sharpshooter™ D is an economical spray foam applicator that provides both control and comfort.



- Adjustable flow control & responsive trigger
- No drip and reusable
- Includes 2 narrow bead tips & 2 nozzle extenders

Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
075650702352	13"	BLACK	7565070235	3.95	1.79	5	37cm x 17cm x 27cm	54

DAP® Sharpshooter™ XP Gun Foam Applicator

The Sharpshooter™ XP Premium Applicator offers a non-stick tip, barrel and basket and provides a convenient solution for insulating gaps and cracks.



- Adjustable flow control & responsive trigger
- No drip and reusable
- Non-stick tip, barrel & basket for easy clean up
- Soft Grip Handle
- Includes 2 narrow bead tips & 2 nozzle extenders

Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
075650702345	14"	BLACK	7565070234	6.1	2.77	5	37cm x 17cm x 27cm	54



DAP® Sharpshooter™ XLP Gun Foam Applicator

Sharpshooter™ XLP Premium 29" Applicator offers a non-stick tip, barrel and basket. It is designed to provide extended reach for special insulating and foam adhesive applications.

- Adjustable flow control & responsive trigger
- No drip and reusable
- Non-stick tip, barrel & basket for easy clean up



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
075650702321	29"	BLACK	7565070232	3.42	1.55	2	78cm x 21cm x 12cm	48

DAP® Sharpshooter™ XXL Gun Foam Applicator

The Sharpshooter™ XXL Premium 44" Applicator offers a non-stick basket and is designed to provide extended reach for special or hard-to-reach applications. Includes a forked guide to aid in subfloor foam adhesive installations.

- Adjustable flow control & responsive trigger
- No drip and reusable
- Non-stick basket for easy clean up
- Heavy-duty stainless-steel barrel
- Includes forked guide for subfloor & other applications



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
075650702338	44"	BLACK	7565070233	4.81	2.18	2	117cm x 23cm x 13cm	32



DAP® Comfort Spray™ Foam Applicator

The Comfort Spray™ universal 1-Component straw foam applicator that offers total comfort with a natural trigger feel

- Universal attachment to most strawfoam sealants
- Ergonomic design for comfortable dispensing
- Responsive trigger for better control
- Can be used at any angle even upside down
- 100% reusable




Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
075650702307	N/A.	BLACK	7565070230	1.93	0.88	6	26cm x 19cm x 21cm	130

DAP® Sharpshooter™ Extend Foam Applicator

For more precise control and comfort, the Sharpshooter™ Extend Foam Applicator provides a convenient solution for insulating gaps and cracks.

- Easier access in hard-to-reach areas
- No drip, less mess, no waste
- Comfortable, lightweight & reusable
- Attaches to most gun grade foams
- Adjustable belt clip for ease of use



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
075650702208	9.5"	BLACK	7565070220	7	3.18	6	39cm x 17cm x 36cm	45

DAP® Touch 'n Seal® Poly-Clean Foam Cleaner



Cleans foam in and around gun applicators.

- Attaches to applicator to flush barrel
- Removes uncured foam from tools
- Reusable dispensing
- Zero VOC formula



Case Code	Size	Colour	Product Code	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
075650287002	12 oz	CLEAR	7565028700	12.99	5.89	12	29cm x 22cm x 23cm	108